
AMC996

AMC Filler Panel with Adjustable Air-flow Control



Key Features

- AMC.0 compliant
- Single or double module
- Adjustable Air-flow Control
- Available as compact-size, mid-size, full-size and extended-size
- Version MTCA.0 and MTCA.1

Benefits

- Electrical, mechanical, software, and system-level expertise in house
- Full system supply from industry leader
- AS9100 and ISO9001 certified company





AMC996

The AMC996 is a filler panel for single or double module slots. The control dial is used to regulate the airflow baffle angle in conjunction with air flow analysis.



Figure 1: AMC996

Specifications

Architecture			
Physical	Dimensions	Single or double module. Compact, mid, full and extended-size	
•		Width: Width 2.89" (73.5 mm) for single module, 5.85" (148.5 mm) for double module	
		Depth: 7.11" (180.6 mm) for single or double module	
Туре	Filler Panel	To prevent air flow through the front of the chassis	
Standards			
AMC	Туре	AMC.0	
MTCA	Туре	MTCA.0 and MTCA.1	
Configuration			
Power	AMC996	0W	
Environmental	Temperature	Operating temperature: -50° to 85°C	
		Storage Temperature: –70° to +95°C	
Other			
MTBF	MIL Hand book 217-F@ TBD hrs		
Certifications	Designed to meet FCC, CE and UL certifications, where applicable		
Standards	VadaTech is certified to both the ISO9001:2000 and AS9100B:2004 standards		
Warranty	Two (2) years		

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of OpenVPX, ATCA and MTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTMs), Power Modules, and more. The company also offers integration services as well as preconfigured Application-Ready Platforms. Please contact VadaTech Sales for more information.

Ordering Options

AMC996 - ABC-000-000

A = AMC Width	
0 = Single module 1 = Double module	
Front Panel Spec	
0 = MTCA.0 1 = MTCA.1 2 = Reserved	
C = Front Panel Size	
1 = Compact-size (2 HP) 2 = Mid-size 3 = Full-size 4 = Extended-size (8 HP)	

Related Products



- MicroTCA 1U 19" rack mount chassis platform
- Six mid-size AMC slots per 1U Carrier or two double module mid-size with two mid-size AMC slots
- Management can run as Shelf/MicroTCA Carrier Management Controller (MCMC) or MCMC

VT866



- MTCA System Platform 19" x 5U x 17"
- Full redundancy with dual MicroTCA Carrier Hub (MCH), dual Cooling Units and dual Power Modules
- Up to 12 AMCs in single width/full-size

VT899



- MTCA System Platform 5" x 7U x 9" deep (with handles 10" deep)
- Up to six AMCs: 6 full-size single-width or 3 full-size double width
- Radial I2C bus to each AMC

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014 Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhu Street, Neihu District, Taipei 114, Taiwan Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

Choose VadaTech

We are technology leaders

- · First-to-market silicon
- Constant innovation
- · Open systems expertise

We commit to our customers

- · Partnerships power innovation
- Collaborative approach
- Mutual success

We deliver complexity

- · Complete signal chain
- · System management
- · Configurable solutions

We manufacture in-house

- · Agile production
- · Accelerated deployment
- AS9100 accredited





Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners.

AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved.

Specification subject to change without notice.