

ART121 – ATCA Rear Transition Module (RTM) for ATC121



KEY FEATURES

- AdvancedTCA RTM for ATC121
- · Layer 2 managed Ethernet switch
- USB Ports
- Dual 10GbE
- I2C Interface to Chassis CDM, Temp Sensors, etc.
- VGA
- RoHS compliant


Benefits of Choosing VadaTech

- Expertise in RTM design
- Full ecosystem of AdvancedTCA switches, processors, RTMs, chassis, and shelf managers
- Design utilizes proven VadaTech subcomponents and engineering techniques
- Electrical, mechanical, software, and system-level expertise in house
- AS9100 and ISO9001 certified company

The ART121 is a Rear Transition Module (RTM) I/O expander for VadaTech's ATC121. It includes dual 10GbE, Layer 2 managed switch, USB 2.0 and USB 1.1 interfaces and I²C buses to read chassis CDM, Temp sensors, etc.

The Layer 2 managed switch has dual GbE via RJ-45 and dual Fiber via SFF ports.

BLOCK DIAGRAM



ART121 – ATCA Rear Transition Module (RTM) for ATC121

SPECIFICATIONS

Architecture		
Physical	Dimensions	Width: 12.69 in. (322.25 mm)
		Depth: 3.7 in. (94mm)
Туре	ATCA RTM	I/O Module
Standards		
ATCA	Туре	ATCA RTM
PCle	Lanes	PCIe x4
Configuration		
Power	ART121	Approximately 15W
Environmental	Temperature	Operating Temperature: 0° to 65° C (airflow requirement is > 400LFM)
		Storage Temperature: –40° to +90° C
	Vibration	1G, 5 to 500 Hz on each axis
	Shock	30Gs each axis
	Relative Humidity	5 to 95 percent, non-condensing
Front Panel	Interface Connectors	Dual SFP+, dual SFF, dual RJ-45, dual MicroUSB (serial ports), dual USB 1.1, five USB 2.0 via DB-25
		VGA DB-15
	LEDs	IPMI Management Control
	Mechanical	Hot Swap Ejector Handle
Other		
MTBF	MIL Hand book 217-F @ TBD Hrs	
Certifications	Designed to meet FCC, CE and UL certifications where applicable	
Standards	VadaTech is certified to both the ISO9001:2000 and AS9100B:2004 standards	
Warranty	Two (2) years	
Trademarks and Disclaimer	The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice	

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of ATCA and μ TCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTM), Power Modules, and more. The company also offers integration services as well as pre-configured Application-Ready Platforms. Please contact VadaTech Sales for more information

Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.



ORDERING OPTIONS

ART121 - A00 - 000 - 0HJ

A = Dual SFP+ Transceivers

- 0 = None
- 1 = 10GBASE-SR (10/1GbE)
- 2 = 10GBASE-LR (10/1GbE)
- 3 = 10GBASE-SR (10GbE ONLY)
- 4 = 10GBASE-LR (10GbE ONLY)
- 5 = 1GBASE-SR (GbE ONLY)
- 6 = 1GBASE-LR (GbE ONLY)

H = Operating Temperature

- 0 = Commercial
- 1 = Industrial

J = Conformal Coating

- 0 = None
- 1 = Humiseal 1A33 Polyurethane
- 2 = Humiseal 1B31 Acrylic

RELATED PRODUCTS







ATC121 PCI3 Gen 3 Carrier VT830 6U ATCA SlotSaver Chassis ATC806 40G/10G ATCA Switch

CONTACT US

VadaTech Corporate Office

198 N. Gibson Rd. Henderson, NV 89014 Email: info@vadatech.com

Telephone: +1 702 896-3337 Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhu Street, Neihu District, Taipei 114, Taiwan

> Email: <u>info@vadatech.com</u> Telephone: +886-2-2627-7655 Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR

Email: info@vadatech.com
Telephone: +44 2380 016403