

ATC998 – ATCA Ethernet Pass-through Front Board



KEY FEATURES

- · Ethernet Pass-through front board
- Eight RJ-45 for front panel access
- Ethernet signals routed to Zone 3 connector
- Designed to mate with ART998 (RTM)
- RoHS compliant



Benefits of Choosing VadaTech


- Electrical, mechanical, software, and system-level expertise in house
- Full ecosystem of front and rear boards, enclosures, specialty modules, and test/dev products from one source
- AS9100 and ISO9001 certified company

The ATC998 is an Advanced Telecommunication Computing Architecture (ATCA) pass through module for GbE. The ATCA998 routes 8x 1000Base-T Ethernet from the front panel to a Rear Transition Module (RTM) through the Zone 3 connector. This eliminates cabling from the top or side of the chassis hence a more robust integration.

Front panel Ethernet access is provided through eight RJ-45 ports.

The ATC998 is designed to mate with the Vadatech Rear Transition Module (RTM) ART998.

BLOCK DIAGRAM



SPECIFICATIONS

Dimensions	Width: 12.68" (322.25 mm)
	Depth: 11.02" (280 mm)
ATCA	Ethernet Pass-through front board
IPMI	IPMI version 2.0 and PICMG 3.0
1000Base-T	Eight ports
ATCA	PICMG 3.0 R3.0
Power consumption	0 W
Temperature	Operating Temperature: -45° to 85°C
	Storage Temperature: –40° to +90°C
Vibration	0.5G, 5 to 500 Hz on each axis
Shock	20 Gs peak, 11 ms duration, non-operational
Relative Humidity	5 to 95 per cent, non-condensing
Interface Connectors	Eight RJ-45
Ejector Handles	Hot swap ejector handle
Operating System	Independent
MIL Handbook 217-F@TBD Hrs	
Designed to meet FCC, CE and UL certifications where applicable	
PICMG 3.0 Rev 3.0, RoHS 2.	
VadaTech is certified to both the ISO9001:2000 and AS9100B:2004 standards	
Two (2) years	
	IPMI 1000Base-T ATCA Power consumption Temperature Vibration Shock Relative Humidity Interface Connectors Ejector Handles Operating System MIL Handbook 217-F@T Designed to meet FCC, 0 PICMG 3.0 Rev 3.0, Rob

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of ATCA and μ TCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTM), Power Modules, and more. The company also offers integration services as well as pre-configured Application-Ready Platforms. Please contact VadaTech Sales for more information

Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.



ORDERING OPTIONS

ATC998 - 000 - 000 - 00J

J = Conformal Coating

- 0 = None
- 1 = Humiseal 1A33 Polyurethane
- 2 = Humiseal 1B31 Acrylic

RELATED PRODUCTS







VT830 - 6U ATCA Shelf

ATC136 – 2.6 GSPS A/D Converter ATC133 – 10G Switch/Carrier + FPGA

CONTACT US

VadaTech Corporate Office

198 N. Gibson Rd. Henderson, NV 89014 Email: info@vadatech.com Telephone: (702) 896-3337 Fax: (702) 896-0332

Asia Pacific Sales Office

7th Floor, No. 2, Wenhu Street, Neihu District, Taipei City, Taiwan11445 Email: info@vadatech.com Telephone: +886-2-2627-7655

Fax: +886-2-2627-7792

VadaTech European Sales Office

Ocean Village Innovation Centre, Ocean Way, Ocean Village, Southampton, SO14 3JZ Email: info@yadatech.com

Telephone: +44 2380 381982 Fax: +44 2380 381983

