

ART128A

ATCA Rear Transition Module (RTM) for ATC128



ATC128A

Key Features

- AdvancedTCA RTM for ATC128
- Quad 10GbE
- Dual 40GbE
- Five Port USB
- Audio
- Discreate I/O
- IPMI 2.0 compliant

Benefits

- Expertise in RTM design
- Full ecosystem of AdvancedTCA switches, processors, chassis platforms, and specialty blades
- Design utilizes proven VadaTech subcomponents and engineering techniques
- Electrical, mechanical, software, and system-level expertise in house
- AS9100 and ISO9001 certified company



vadatech
THE POWER OF VISION

AdvancedTCA®



ART128A

The ART128A is an I/O expansion ATCA Rear Transition Module (ARTM) that is designed to mate with the ATC128 ATCA Carrier and provide high-bandwidth rear panel expansion.

The module provides two QSFP+ Ports (supporting 40GbE), four SFP+ Ports (supporting 10GbE), a Micro D-25 Port (multi USB 2.0), a Sub DB15 Port (audio), two Sub DB9 Ports (discrete I/O and dual multi-protocol serial Ports) and a Micro USB (IPMI).



Figure 1: ART128A




Figure 2: ART128A Top View with Transceivers

Block Diagram




Figure 3: ART128A Functional Block Diagram

Specifications

Architecture		
Physical	Dimensions	Width: 12.69" (322.25 mm)
		Depth: 3.7" (94 mm)
		Weight: TBD
Type	ATCA RTM	Rear I/O module for ATC128
Standards		
PICMG	ATCA	PICMG 3.0 revision 2.0
Module Management	IPMI	IPMI v2.0
Ethernet		40GbE, 10GbE
Configuration		
Power	ART128A	~20W
Environmental	Temperature	See Ordering Options
		Storage Temperature: -40° to +90°C
	Vibration	Operating 9.8 m/s ² (1G), 5 to 500 Hz on each axis
	Shock	Operating 30G on each axis
	Relative Humidity	5 to 95% non-condensing
Front Panel	Interface Connectors	x2 QSFP+ for 40GbE
		x4 SFP+ for 10GbE
		DB25 USB ports
		DB15 HD Audio CODEC
		DB9 Discreates
	LEDs	IPMI management control
	Mechanical	Hot-swap ejector handle
Software Support	Operating System	Agnostic
Other		
MTBF		MIL Hand book 217-F@ TBD hrs
Certifications		Designed to meet FCC, CE and UL certifications, where applicable
Standards		VadaTech is certified to both the ISO9001:2015 and AS9100D standards
Warranty		Two (2) years, see VadaTech Terms and Conditions

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of OpenVPX, ATCA and MTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTMs), Power Modules, and more. The company also offers integration services as well as pre-configured Application-Ready Platforms. Please contact VadaTech Sales for more information.


Ordering Options

ART128A – AB0-000-00J

A = 10G TXCVRs 0 = No TXCVRs 1 = 4xSR 10GbE Multi rate (1G/10G) 2 = 4xLR 10GbE 10Km 3 = 4xLR 10GbE 40Km 4 = 4x1G/10G Copper 5 = Reserved 6 = Reserved		
B = 40G TXCVRs 0 = No TXCVRs 1 = 2xSR 2 = 2xLR (10Km) 3 = 2xLR (40Km) 4 = Reserved 5 = Reserved		
		J = Temperature Range and Coating 0 = Commercial (–5° to +55°C), No coating 1 = Commercial (–5° to +55°C), Humiseal 1A33 Polyurethane 2 = Commercial (–5° to +55°C), Humiseal 1B31 Acrylic 3 = Industrial (–20° to +70°C), No coating 4 = Industrial (–20° to +70°C), Humiseal 1A33 Polyurethane 5 = Industrial (–20° to +70°C), Humiseal 1B31 Acrylic 6 = Extended (–40° to +85°C), Humiseal 1A33 Polyurethane 7 = Extended (–40° to +85°C), Humiseal 1B31 Acrylic

Related Products

ATC139



- Carrier for dual Shelf Manager slots (VadaTech's VT011)
- PICMG 3.0 Rev 3.0 compliant
- Redundant failover between the two shelf managers

VT830



- 19" rackmount 6U ATCA Chassis with integrated Switch and Shelf Manager
- 10GbE/GbE Managed Layer 2
- 40GbE/10GbE/GbE Managed Layer 3

VT011



- Shelf manager for AdvancedTCA systems
- Utilizing VadaTech Third Generation Shelf Manager VT003
- Quad Core ARM Freescale processor @ 1 GHz per core

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014

Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhui Street, Neihu District, Taipei 114, Taiwan

Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR

Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

Choose VadaTech

We are technology leaders

- First-to-market silicon
- Constant innovation
- Open systems expertise

We commit to our customers

- Partnerships power innovation
- Collaborative approach
- Mutual success

We deliver complexity

- Complete signal chain
- System management
- Configurable solutions

We manufacture in-house

- Agile production
- Accelerated deployment
- AS9100 accredited



vadatech
THE POWER OF VISION

Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.

© 2020 VadaTech Incorporated. All rights reserved.
DOC NO. 4FM737-12 REV 01 | VERSION 1.2 – AUG/23