# **ART133**

ATCA Rear Transition Module (RTM) for ATC133



ART133

# **Key Features**

- AdvancedTCA RTM for the ATC133
- Quad SFP+ for 10 GbE
- RJ-45 port for GbE
- RS-232 for RTM management, for ATCA blade management, and for ATCA blade processor
- IPMI version 2.0
- RoHS compliant

### **Benefits**

- Expertise in RTM design
- Full ecosystem of AdvancedTCA switches, processors, chassis platforms, and specialty blades
- Design utilizes proven VadaTech subcomponents and engineering techniques
- Electrical, mechanical, software, and systemlevel expertise in house
- AS9100 and ISO9001 certified company





## **ART133**


The ART133 is an I/O expansion ATCA Rear Transition Module (ARTM) that provides GbE, 10 GbE, and Management I/O for the front blade. The module is designed to mate with the ATC133 ATCA Carrier.

The module has quad 10 GbE ports which route to the host via the Zone 3 connector and provides quad SFP+ to the RTM front panel. Further, the module has a RJ-45 connector for GbE. The ART133 also provides a FPGA JTAG header.


The ART133 also provides a management RS-232 port and dual RS-232 ports that provide host CPU and Management access.



## **Block Diagram**



## Panel



## Specifications

Architecture		
Physical	Dimensions	Width: 12.69" (322.25 mm)
		Depth: 3.7" (94 mm)
Туре	ATCA RTM	Rear I/O module for ATC133
Standards		
PICMG	ATCA	PICMG 3.0 revision 2.0
Module Management	IPMI	IPMI version 2.0
Ethernet		GbE and 10 GbE
Configuration		
Power	ART133	
Environmental	Temperature	Operating temperature: -5° to 45° C (55°C for limited time, performance restrictions may apply), industrial versions also available (See <a href="mailto:environmental.spec-sheet">environmental.spec-sheet</a> )
		Storage Temperature: -40° to +90°C
	Vibration	Operating 9.8 m/s <sup>2</sup> (1G), 5 to 500Hz on each axis
	Shock	Operating 325G / 2 ms, 160G / 1 ms
	Relative Humidity	5 to 95 per cent, non-condensing
Front Panel	Interface Connectors	Quad SFP+ (10 GbE)
		RJ-45 (GbE)
		Host CPU RS-232 via micro USB
		Management and host management RS-232 via micro USB
	LEDs	IPMI management control
		Base channel activity/link
		Fabric channel activity/link
		user defined LEDs
	Mechanical	Hot swap ejector handle
Software Support	Operating System	Linux and Windows
Conformal Coating		Humiseal 1A33 Polyurethane (Optional)
		Humiseal 1B31 Acrylic (Optional)
Other		
MTBF	MIL Hand book 217-F@ TBD hrs	
Certifications	Designed to meet FCC, CE and UL certifications, where applicable	
Standards	VadaTech is certified to both the ISO9001:2000 and AS9100B:2004 standards	
Warranty	Two (2) years	

#### INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of ATCA and µTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTM), Power Modules, and more. The company also offers integration services as well as pre-configured Application-Ready Platforms. Please contact VadaTech Sales for more information.

#### **Trademarks and Disclaimer**

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.

# **Ordering Options**

### ART133 - A00-000-0HJ

A = SFP+ Transceivers (quad)	
0 = None 1 = 10GBASE-SR 2 = 10GBASE-LR	
	H = Operating Temperature
	0 = Commercial 1 = Industrial
	J = Conformal Coating
	0 = None 1 = Humiseal 1A33 Polyurethane 2 = Humiseal 1B31 Acrylic

### **Related Products**

### ATC133



- 10G ATCA Carrier
- Managed Layer 2 software
- Four full-size AMC slots

ART132



- Quad GbE via SFP
- Dual InfiniBand 40Gb via QSFP+
- PCIe x8 via I-Pass

VT830



- 19" rackmount 6U ATCA Chassis with integrated Switch and Shelf Manager
- 10GbE/GbE Managed Layer 2
- 40GbE/10GbE/GbE Managed Layer 3

## **Contact**

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014 Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhu Street, Neihu District, Taipei 114, Taiwan Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

Ocean Village Innovation Centre, Ocean Way, Ocean Village, Southampton, SO14 3JZ

Phone: +44 2380 381982 | Fax: +44 2380 381983

info@vadatech.com | www.vadatech.com

### **Choose VadaTech**

### We are technology leaders

- · First-to-market silicon
- · Constant innovation
- · Open systems expertise

#### We commit to our customers

- · Partnerships power innovation
- · Collaborative approach
- Mutual success

### We deliver complexity

- · Complete signal chain
- · System management
- · Configurable solutions

#### We manufacture in-house

- · Agile production
- Accelerated deployment
- AS9100 accredited





#### Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners.

AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved.

Specification subject to change without notice.