ART980A

ATCA Rear Transition Module (RTM) for VT980



Key Features

- AdvancedTCA RTM for VT980
- Dual DB-9 for USB
- DB-15 for IPMI output

Benefits

- Expertise in RTM design
- Full ecosystem of AdvancedTCA switches, processors, chassis platforms, and specialty blades
- Design utilizes proven VadaTech subcomponents and engineering techniques
- Electrical, mechanical, software, and system-level expertise in house
- Full system supply from industry leader
- AS9100 and ISO9001 certified company





ART980A

The ART980A is an I/O expansion ATCA Rear Transition Module (ARTM) that is designed to mate specifically to the VT980 backplane. The module provides dual USB and Management I/O for the front blade through the VT980.

The module has dual USB Ports through DB-9 connectors which route to the host via a ruggedized connector.

The ART980A also provides a management Port via a DB-15 connector.



Figure 1: ART980A

Block Diagram




Figure 2: ART980A Functional Block Diagram

Front Panel




Figure 3: ART980A Front Panel

Specifications

Architecture				
Physical	Dimensions	Width: 12.69" (322.25 mm)		
		Depth: 3.7" (94 mm)		
		Weight: TBD		
Туре	ATCA RTM	Rear I/O module for VT980		
Standards				
PICMG	ATCA	PICMG 3.0 revision 2.0		
Module Management	IPMI	IPMI v2.0		
USB		USB 2.0		
Configuration				
Power	ART980A	~0.1W		
Environmental	Temperature	See Ordering Options		
		Storage Temperature: –40° to +90°C		
		Operating 9.8 m/s ² (1G), 5 to 500 Hz on each axis		
		Operating 325G/2 ms, 160G/1 ms		
	-	5 to 95% non-condensing		
Front Panel	Interface Connectors	Dual DB-9 for USB		
		DB-15 for IPMI out		
		Hot-swap ejector handle		
Software Support	Operating System	Linux and Windows		
Other				
MTBF	MIL Hand book 217-F@ TBD hrs			
Certifications	Designed to meet FCC, CE and UL certifications, where applicable			
Standards	VadaTech is certified to both the ISO9001:2015 and AS9100D standards			
Warranty	Two (2) years, see <u>VadaTech Terms and Conditions</u>			

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of OpenVPX, ATCA and MTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTMs), Power Modules, and more. The company also offers integration services as well as preconfigured Application-Ready Platforms. Please contact VadaTech Sales for more information.

Ordering Options

ART980A - 000-000-0HJ

	H = Operating Temperature
	0 = Commercial 1 = Industrial
	J = Conformal Coating
	0 = No coating 1 = Humiseal 1A33 Polyurethane 2 = Humiseal 1B31 Acrylic

Related Products





- Dual 14-core Intel® Xeon® E5-2658, 2680 or 2648L v4 processors
- Eight banks of DDR4 for up to 256 GB memory
- 10/40GbE Fabric channels





VT994



- 19" rackmount 6U ATCA Chassis with integrated Switch and Shelf Manager
- 10GbE/GbE Managed Layer 2
- 40GbE/10GbE/GbE Managed Layer 3
- AdvancedTCA Backplane
- **Dual slots**
- Base and Fabric Channels

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014 Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhu Street, Neihu District, Taipei 114, Taiwan Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

Choose VadaTech

We are technology leaders

- · First-to-market silicon
- · Constant innovation
- · Open systems expertise

We commit to our customers

- Partnerships power innovation
- · Collaborative approach
- Mutual success

We deliver complexity

- Complete signal chain
- System management
- · Configurable solutions

We manufacture in-house

- Agile production
- · Accelerated deployment
- AS9100 accredited





Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc.

Other registered trademarks are the property of their respective owners.

AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved.

Specification subject to change without notice.