SOF217

Dual ADC @ 6.4 GSPS, SOFI Module



Key Features

- Dual ADC 12-bit @ 6.4 GSPS (dual ADC12DJ3200), supports four channels @ 3.2 GSPS
- Dual DAC 16-bit @ 12 GSPS (dual AD9162 or AD9164), supports 6 GHz direct RF synthesis
- Sampling clock from host module
- Onboard Wideband PLL structure
- LMK04828 PLL (with 100 MHz VCXO) for JESD lane clocking and sysref

The SOF217 provides dual ADC sampling rates of up to 6.4 GSPS at a 12-bit resolution (TI ADC12DJ3200 or ADC12DJ2700) or quad inputs at 3.2 GSPS. Also, dual DAC delivers update rates of up to 12 GSPS and incorporates direct RF synthesis capable of 6 GSPS at a 16-bit resolution (Analog Devices AD9162 or AD9164).

The SOF217 is similar to SOF200 but designed for use of 2 GHz to 7 GHz range. Contact VadaTech for details.

The module is suitable for signal capture/analysis applications such as COMINT/SIGINT, radar, research and instrumentation.

NOTE: This module is not orderable as a standalone item and must be purchased as part of an AMSxxx (AMC module) or VPSxxx (3U VPX module) product. See <u>SOFI Overview</u> for details.





Figure 1: SOF217




Figure 2: SOF217 Functional Block Diagram

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014 Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhu Street, Neihu District, Taipei 114, Taiwan Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

SOFI Modules

SOFI modules are physically similar to FMC modules but are incompatible with FMC carriers, and are not designed to be interchangeable in the field.

See <u>SOFI Overview</u> for compatibility with AMC and 3U VPX carriers. If the particular combination of form factor, FPGA and ADC/DAC performance you require is not yet listed, please contact your local VadaTech sales team for details of how we can support you.

NOTE: This module is not orderable as a standalone item and must be purchased as part of an AMSxxx (AMC module) or VPSxxx (3U VPX module) product.



Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA[™] and the AdvancedMC[™] logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.

> © 2020 VadaTech Incorporated. All rights reserved. DOC NO. 4FM737-12 REV 01 | VERSION 1.2 – JUN/20

