

VT993 – 2 HP Filler Panel, Air Baffle

2 HP Filler Panel



KEY FEATURES

- Single or double module
- Available in 2 HP slot pitch
- Fixed air baffle
- Retention screws securely hold board in place
- RoHS compliant

Benefits of Choosing VadaTech

- Wide selection of air baffles and filler panels for MicroTCA systems
- Electrical, mechanical, software, and system-level expertise in house
- Full system supply from industry leader
- AS9100 and ISO9001 certified company

The VT993 is a 2 HP filler panel available in single or double module sizes. The VT993 has a fixed air baffle to block the airflow. Retention screws hold the slot filler firmly in place.

BLOCK DIAGRAM




Figure 1: VT993 Block Diagram

SPECIFICATIONS

Architecture

Physical	Dimensions	Single or double module
		Height: 2 HP
		Depth: 7.11 in. (180.6 mm) for single or double module
Type	Filler Panel	To prevent air flow through the front of the chassis

Standards

μTCA	Type	μTCA.0, μTCA.1/4
------	------	------------------

Configuration

Power	VT993	0 W
Environmental	Temperature	Operating temperature: -50° to 85° C
		Storage Temperature: -70° to +95° C

Other

MTBF	MIL Hand book 217-F @ TBD Hrs	
Certifications	Designed to meet FCC, CE and UL certifications where applicable	
Standards	VadaTech is certified to both the ISO9001:2000 and AS9100B:2004 standards	
Warranty	Two (2) years	

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of ATCA and μTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTM), Power Modules, and more. The company also offers integration services as well as pre-configured Application-Ready Platforms. Please contact VadaTech Sales for more information

Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.

VT993 – 2 HP Filler Panel, Air Baffle

ORDERING OPTIONS

VT993 – A00 – 000 – 000

A = Panel Size

0 = Single module

1 = Double module

RELATED PRODUCTS



VT898 6U MicroTCA
Chassis



AMC996 Slot
Filler w/Baffle



AMC999 Slot
Filler Panel

CONTACT US

VadaTech Corporate Office

198 N. Gibson Rd.
Henderson, NV 89014
Email: info@vadatech.com
Telephone: +1 702 896-3337
Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhui Street, Neihu District,
Taipei 114, Taiwan
Email: info@vadatech.com
Telephone: +886-2-2627-7655
Fax: +886-2-2627-7792

VadaTech European Sales Office

Ocean Village Innovation Centre, Ocean Way,
Ocean Village, Southampton, SO14 3JZ
Email: info@vadatech.com
Telephone: +44 2380 381982
Fax: +44 2380 381983