VTX351

6U VPX Backplane With Optics To The Rear



Key Features

- 6U VPX backplane
- Rugged Chassis and Fiber Optics per VITA 66.5
- Rear Mezzanine Cards w/ IO
- Dual-Redundant VPX Power Supply slots
- Eight 6U VPX Payload slots

Benefits

- Rugged construction suitable for field deployment in harsh environments
- Ideal for Phased Array Radars, Signal Processing, CCD/CMOS Imaging Sensors and FPGA SERDES applications
- Electrical, mechanical, software, and system-level expertise in house
- Full system supply from industry leader
- AS9100 and ISO9001 certified company

OpenVP



VTX351

The backplane provides eight 6U VPX payload slots, fully compliant to VITA 46.0 baseline specification with additional support to the RTMs, compliant to VITA 46.10 and OpenVPX VITA65.

The chassis can accept 0.8-inch, 0.85-inch and 1.0-inch pitch modules. It provides fiber connectivity via VITA 66.5 blind-mate backplane connections and is ideal for field deployment in rugged, harsh environments.

Power Supplies

The VTX350 has two dual-Redundant VPX power supply in slots 9 and 10.

Chassis

The VTX351 is meant for integration in custom conduction or non-conduction cool chassis. Contact VadaTech Sales for available integrated solutions.

Rear Mezzanine Cards

Custom mezzanine cards are available for connectivity expansion on the rear.



Figure 1: VTX351 Front View



Figure 2: VTX351 Rear View

Backplane Connections J1-J4



Figure 4: VTX351 Backplane Connections J1-J4

Backplane Connections J0, J5-J6



Figure 5: VTX351 Backplane Connections J5-J6 and J0



Figure 6: Mezzanine Card for FPGA Processing Slots

\bigcirc	MISC	RS422 RS422		
	IPMB	LVDS MISC	Y	

Figure 7: Mezzanine Card for RIB Slots

Please contact your local sales team for more information.

Specifications

Architecture		
Physical	Dimensions	6U OpenVPX
Туре	VPX 6U	8 Payload slots with two Power Entry Module slots
Standards		
VPX	Туре	VITA 46.0 Baseline Specification
Configuration		
Power	VTX351	Dependent on Payload Configuration
Environmental		See Ordering Options
Other		
MTBF	TBD MIL Hand book 217-F. Based on Order Option. Contact VadaTech sales for details.	
Certifications	Designed to meet FCC, CE and UL certifications, where applicable	
Standards	VadaTech is certified to both the ISO9001:2015 and AS9100D standards	
Warranty	One (1) year, see VadaTech Terms and Conditions	

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of OpenVPX, ATCA and MTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTMs), Power Modules, and more. The company also offers integration services as well as preconfigured Application-Ready Platforms. Please contact VadaTech Sales for more information.

Ordering Options

VTX351 – ABC-000-GHJ

A = Slot 4 to Slot 8	
0 = Not connected 1 = Connected between slot 4 and slot 8	
B = Mezzanine Cards	H = Environmental
0 = Mezzanine Cards Fitted 1 = No Mezzanine Cards Fitted	See Environmental Specification
	J = Conformal Coating
	0 = No coating 1 = Humiseal 1A33 polyurethane 2 = Humiseal 1B31 acrylic

Environmental Specification*

Option H	H = 4			
Operating Temperature	-55°C to +95°C			
Storage Temperature	-55°C to +100°C			
Operational Endurance Vibration	V3* (0.1 g2/Hz max)			
Humidity	95% non-condensing			

Notes: *Please contact VadaTech Sales for other specification

Related Products

VPX552





VPX980



- Intel Broadwell-D integrated with Xilinx Kintex UltraScale™ XCKU115 FPGA
- Intel® 5th Generation Xeon System-on-Chip (SoC)
- CPU 32 GB of DDR4 with ECC and FPGA 16 GB of DDR4
- 6U VPX Chassis, 19" Rack Mountable per EIA-310D
- Rugged Chassis with High Density Fiber Optic I/O
- Fiber Optical Backplane per VITA 66.4 or 66.5
- 6U VPX Chassis Manager Module compliant to VITA 46.11 w/Quad Core ARM Freescale processor
- One GB DDR3 memory with FRAM for log messages
- 32 GB of Flash, 8 GB of NAND Flash

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014 Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhu Street, Neihu District, Taipei 114, Taiwan Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

Choose VadaTech

We are technology leaders

- First-to-market silicon
- Constant innovation
- Open systems expertise

We commit to our customers

- Partnerships power innovation
- · Collaborative approach
- Mutual success

We deliver complexity

- · Complete signal chain
- System management
- · Configurable solutions

We manufacture in-house

- Agile production
- · Accelerated deployment
- AS9100 accredited



Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA[™] and the AdvancedMC[™] logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.

> © 2019 VadaTech Incorporated. All rights reserved. DOC NO. 4FM737-12 REV 01 | VERSION 1.0 – MAR/21

