

VT752

Single slot motherboard to
accommodate a x16 PCIe Edge
Card Module Gen4

VT752

Key Features

- Accepts a single x16 PCIe style module Gen4
- Interface to the Host via quad x4 OCuLink
- +12V input power

Benefits

- Turnkey solution and all integration done at VadaTech
- Electrical, mechanical, software, and system-level expertise in house
- Full system supply from industry leader
- AS9100 and ISO9001 certified company



vadatech
THE POWER OF VISION

OpenVPX™



VT752

The VT752 is a single-slot motherboard that takes a x16 PCIe style module with quad x4 OCuLink connectors.

Power Input

The VT752 takes +12V input power.

Chassis Mechanical

The VT752 can put into any machinal enclosure based on customer requirement. Please contact VadaTech Sales for the Chassis configuration.

Figure 1: VT752 View

Connectivity




Figure 3: VT752 Module

Specifications

Architecture		
Physical	Dimensions	Height: 3U (with enclosure)
		Width:
		Depth:
		Weight: TBD
Type	PCIe Edge style	X16 PCIe full length
Standards		
PCIe Sig	PCIe	PCIe Sig specification Gen4
Configuration		
Power	VT752	+12V
Environmental		See Ordering Options
Cooling		Chassis dependent
Other		
MTBF	MIL Hand book 217-F@ TBD hrs	
Certifications	Designed to meet FCC, CE and UL certifications, where applicable	
Standards	VadaTech is certified to both the ISO9001:2015 and AS9100D standards	
Warranty	One (1) year, see VadaTech Terms and Conditions	

OpenVPX allows for a wide range of pin assignments and use cases. Prior to purchasing VadaTech products as standalone items (i.e., not part of an integrated platform) please consult with VadaTech on the system architecture to ensure compatibility.

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of OpenVPX, ATCA and MTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTMs), Power Modules, and more. The company also offers integration services as well as pre-configured Application-Ready Platforms. Please contact VadaTech Sales for more information.

Ordering Options

VT752 – A00-000-0HJ

A = Enclosure*		
0 = With standard enclosure		
1 = Without		
2 = Reserved		
3 = Reserved		
		H = Environmental
		0 = Commercial
		1 = Industrial
		J = Conformal Coating
		0 = No coating
		1 = Humiseal 1A33 polyurethane
		2 = Humiseal 1B31 acrylic
		3 = Parylene

*Customer should contact VadaTech Sales for enclosure

Related Products

PCI596



- PCIe x16 FPGA carrier for FMC+ per VITA 57.4
- Xilinx UltraScale+™ VU13P FPGA
- Allows expansion of a daughter card on top of the FMC for more I/O
- Active cooling for FPGA, FMC+ and the daughter card module

PCI597



- Dual PCIe x16 FPGA
- 72 fiber transceivers egress ports
- Optical speed choice of 10G or 28G per link
- Xilinx UltraScale+™ VU13P FPGA

PCI592



- PCIe FPGA carrier for FMC+ per VITA 57
- Xilinx Kintex UltraScale™ XCKU115 FPGA
- Active cooling for FPGA and FMC+
- Dual x8 lanes for direct connection to neighbouring FPGA card(s)

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014

Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhua Street, Neihu District, Taipei 114, Taiwan

Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR

Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

Choose VadaTech

We are technology leaders

- First-to-market silicon
- Constant innovation
- Open systems expertise

We commit to our customers

- Partnerships power innovation
- Collaborative approach
- Mutual success

We deliver complexity

- Complete signal chain
- System management
- Configurable solutions

We manufacture in-house

- Agile production
- Accelerated deployment
- AS9100 accredited



vadatech
THE POWER OF VISION

Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.

© 2020 VadaTech Incorporated. All rights reserved.
DOC NO. 4FM737-12 REV 01 | VERSION 2.2 – AUG/25