VT752

Single slot motherboard to accommodate a x16 PCle Edge Card Module Gen4

VT752

Key Features

- Accepts a single x16 PCIe style module Gen4
- Interface to the Host via quad x4 OCuLink
- +12V input power

Benefits

- Turnkey solution and all integration done at VadaTech
- Electrical, mechanical, software, and system-level expertise in house
- Full system supply from industry leader
- AS9100 and ISO9001 certified company



VT752

The VT752 is a single-slot motherboard that takes a x16 PCle style module with quad x4 OCuLink connectors.

Power Input

The VT752 takes +12V input power.

Chassis Mechanical

The VT752 can put into any machinal encloser based on customer requirement. Please contact VadaTech Sales for the Chassis configuration.

Figure 1: VT752 View

Connectivity




Figure 3: VT752 Module

Specifications

Architecture			
Physical	Dimensions	Height: 3U (with encloser)	
		Width:	
		Depth:	
		Weight: TBD	
Туре	PCIe Edge style	X16 PCIe full length	
Standards			
PCle Sig	PCle	PCIe Sig specification Gen4	
Configuration			
Power	VT752	+12V	
Environmental		See Ordering Options	
Cooling		Chassis dependent	
Other			
MTBF	MIL Hand book 217-F@ TBD hrs		
Certifications	Designed to meet FCC, CE and UL certifications, where applicable		
Standards	VadaTech is certified to both the ISO9001:2015 and AS9100D standards		
Warranty	One (1) year, see VadaTech Terms and Conditions		

OpenVPX allows for a wide range of pin assignments and use cases. Prior to purchasing VadaTech products as standalone items (i.e., not part of an integrated platform) please consult with VadaTech on the system architecture to ensure compatibility.

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of OpenVPX, ATCA and MTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTMs), Power Modules, and more. The company also offers integration services as well as preconfigured Application-Ready Platforms. Please contact VadaTech Sales for more information.

Ordering Options

VT752 - A00-000-0HJ

A = Encloser*	
0 = None 1 = Reserved 2 = Reserved 3 = Reserved	
	H = Environmental
	0 = Commercial 1 = Industrial
	J = Conformal Coating
	0 = No coating 1 = Humiseal 1A33 polyurethane 2 = Humiseal 1B31 acrylic 3 = Parylene

^{*}Customer should contact VadaTech Sales for encloser

Related Products

PCI596



- PCIe x16 FPGA carrier for FMC+ per VITA 57.4
- Xilinx UltraScale+™ VU13P FPGA
- Allows expansion of a daughter card on top of the FMC for more I/O
- Active cooling for FPGA, FMC+ and the daughter card module

PCI597



- Dual PCle x16 FPGA
- 72 fiber transceivers egress ports
- Optical speed choice of 10G or 28G per link
- Xilinx UltraScale+™ VU13P FPGA

PCI592



- PCIe FPGA carrier for FMC+ per VITA 57
- Xilinx Kintex UltraScale™ XCKU115 FPGA
- · Active cooling for FPGA and FMC+
- Dual x8 lanes for direct connection to neighbouring FPGA card(s)

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014 Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhu Street, Neihu District, Taipei 114, Taiwan Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

Choose VadaTech

We are technology leaders

- First-to-market silicon
- Constant innovation
- · Open systems expertise

We commit to our customers

- · Partnerships power innovation
- Collaborative approach
- Mutual success

We deliver complexity

- · Complete signal chain
- · System management
- · Configurable solutions

We manufacture in-house

- Agile production
- · Accelerated deployment
- · AS9100 accredited





Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc.

Other registered trademarks are the property of their respective owners.

AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved.

Specification subject to change without notice.