


VTX072A

Single Slot 3U VPX Backplane



VTX072A

Key Features

- 3U single slot VPX Backplane
- RTM connectors option (RJ0/RJ1)
- VITA 67.x for RF
- Breakout for the JTAG, IPMB, NVMRO, SYSRST, REF_CLK, AUX_CLK, etc.
- Power Lugs for each of the rails per VITA 46 specification
- Available with Vita 66.X and/or VITA 67.X

Benefits

- Design utilizes proven VadaTech subcomponents and engineering techniques
- Electrical, mechanical, software, and system-level expertise in house
- Full system supply from industry leader
- AS9100 and ISO9001 certified company



vadatech
THE POWER OF VISION

OpenVPX™



VTX072A

The VTX072A is a single slot backplane that breaks out the VPX signals for bench top testing or installation in chassis for a single slot application. The single slot backplane utilized the high speed VPX connectors (25Gbaud). The VTX072A backplane has a VITA67.x connector for RF.

All the ancillary signals such as JTAG, IPMB, NVMRO, Geographic Address etc. are broken out for ease of access.

Backplane is available in VITA 66.X and/or the VITA 67.X. Please contact VadaTech Sales for backplane ordering option.



Figure 1: VTX072A



Figure 2: VTX072A Front Side



Figure 3: VTX072A RTM Side



Figure 4: VTX072A Key View

Specifications

Architecture	
Physical	Dimensions 3U VPX backplane
Type	Backplane J0/J1/J2 (option for VITA66.5 and VITA 67.2) as well as RJ0/RJ1/RJ2
Standards	
VPX	Type VITA46.x
VPX	Type VITA 65 OpenVPX
Configuration	
Power	Lugs for +VS1/+VS2/+VS3 and Connector +3.3_AUX/+12V_AUX/-12V_AUX
I/O	Interface Connector Toggle switches for GA (Geographic Address); I2C break out for the IPMC; clocks; etc. JTAG
Other	
MTBF	MIL Hand book 217-F@ TBD hrs
Certifications	Designed to meet FCC, CE and UL certifications, where applicable
Standards	VadaTech is certified to both the ISO9001:2015 and AS9100D standards
Warranty	Two (2) years, see VadaTech Terms and Conditions

INTEGRATION SERVICES AND APPLICATION-READY PLATFORMS

VadaTech has a full ecosystem of VPX, ATCA and MTCA products including chassis platforms, shelf managers, AMC modules, Switch and Payload Boards, Rear Transition Modules (RTMs), Power Modules, and more. The company also offers integration services as well as pre-configured Application-Ready Platforms. Please contact VadaTech Sales for more information.

Ordering Options

VTX072A – A0C-000-00J

A = RF Connector		
0 = Not loaded 1 = VITA 67.2 2 = Reserved 3 = Reserved 4 = Reserved		
C = VPX Connector Type		J = Conformal Coating
0 = 50u Gold Rugged High speed (25Gbaud)		0 = No coating 1 = Humiseal 1A33 Polyurethane 2 = Humiseal 1B31 Acrylic

Contact

VadaTech Corporate Office

198 N. Gibson Road, Henderson, NV 89014

Phone: +1 702 896-3337 | Fax: +1 702 896-0332

Asia Pacific Sales Office

7 Floor, No. 2, Wenhui Street, Neihu District, Taipei 114, Taiwan

Phone: +886-2-2627-7655 | Fax: +886-2-2627-7792

VadaTech European Sales Office

VadaTech House, Bulls Copse Road, Southampton, SO40 9LR

Phone: +44 2380 016403

info@vadatech.com | www.vadatech.com

Choose VadaTech

We are technology leaders

- First-to-market silicon
- Constant innovation
- Open systems expertise

We commit to our customers

- Partnerships power innovation
- Collaborative approach
- Mutual success

We deliver complexity

- Complete signal chain
- System management
- Configurable solutions

We manufacture in-house

- Agile production
- Accelerated deployment
- AS9100 accredited



vadatech
THE POWER OF VISION

Trademarks and Disclaimer

The VadaTech logo is a registered trademark of VadaTech, Inc. Other registered trademarks are the property of their respective owners. AdvancedTCA™ and the AdvancedMC™ logo are trademarks of the PCI Industrial Computers Manufacturers Group. All rights reserved. Specification subject to change without notice.

© 2020 VadaTech Incorporated. All rights reserved.
DOC NO. 4FM737-12 REV 01 | VERSION 1.1 – FEB/25